

QX-500 Tray sealer

Automatic tray sealing with
compact efficient design





Tray sealer

Less Waste, More Productivity

Redefining Ishida's Tray Sealer capabilities the QX-500 is revolutionary through design and performance.

Whether you're looking for a compact tray sealer to fit easily into a new or existing packaging line; the QX-500 offers the highest performance in terms of seal quality and throughput while helping companies to meet their sustainability targets.

Developed in consultation with world-leading customers, our tray sealer delivers increased productivity with significant cost reduction in energy usage and overall production costs. Designed precisely for the situations you face everyday, the QX-500 offers all the benefits of advanced automation while making the smartest use of your floorspace, materials and budget.

The benefits of single-source supply

In choosing an Ishida tray sealer you can be confident that our long experience of designing, manufacturing and installing all the surrounding and related equipment is at your disposal. Our products and services include weighing, x-ray inspection, checkweighing, packing and leak detection equipment, snack food bagmakers and pick-and-place casepacking systems, consultancy and project management.



Meat



Poultry



Ready Meals



Salads



Fish & seafood



Dairy

QX-500

Automatic tray sealer with compact efficient design.

The QX-500 redefines Ishida's tray sealing capability with an all new compact platform which can process up to 100 trays per minute.

From intelligent power management to delivering operational efficiency, the QX-500 has been designed to deliver less waste and increased productivity. Innovative engineering features, low cost tooling and space-saving design, the new QX-500 provides total value.

- ▲ Up to 25 cycles per minute with up to four tool impressions
- ▲ Boosting cost efficiency by eliminating pneumatics required for seal only and MAP applications
- ▲ Intelligent servo drive systems providing enhanced efficiency of operations
- ▲ Stabilised tray handling for challenging product applications, through utilisation of a unique dipping conveyor system
- ▲ Ergonomic and compact footprint enhancing operational visibility across your production line. Flexibility of integrating vacuum pump into the machine



QX Tooling reimagined

Tooling increases overall operating efficiencies.

The tooling for the QX-500 is a lightweight cassette design allowing for quick and easy format changes.

▲ A wide range of tooling formats can be handled:

- Seal only
- Gas flush
- Vacuum gas
- Skin pack
- Sustainable alternatives



QX-500 tooling



Cassette tooling

The tooling vacuum chamber is retained within the QX-500 and only the tray specific hardware is exchanged when moving between formats.

Simplified tools

The cassette tool concept means a more compact, lightweight and simplified tool system. Reducing to an optimum weight, lead-time and cost. An advantage that compounds as more formats are added to your production.

Compact footprint

Innovative guarding and tool change solutions, have allowed for a compact machine operating footprint. Enhancing operational visibility across the production line and increasing factory area ROI.

QX-500 features and benefits



Stabilised tray handling

A new tray delivery and transfer system allows unbeatably smooth tray and product handling properties to ensure superb seal accuracy and spillage-free product transfer.



Ergonomic design



Overall dimensions of L2500 x W1000 with optional line height range between 750 – 950mm.



Consolidated optional equipment

Traditional options such as vacuum pump are fully integrated within the machine body.

Technical specification



Specification

Specification	QX-500
Maximum tray width	300mm
Tool formats	Seal Only, MAP Gas Flush, MAP Vacuum Gas, Skinpack
Type of film cut	Inside or outside cut
Maximum tray height	Up to 120mm
Number of impressions per tool	From 1 to 4
Maximum Seal Only cycle speed	25 cycles per minute
Maximum MAP cycle speed	17 cycles per minute
Maximum film reel diameter	350mm
Machine weight (without tool)	900 – 1200kg
Supply voltage	32A 380-415VAC + N + E 3 phase 50-60 HZ

Working with you every step of the way

Our extensive R&D investment is directed at meeting the challenges of the fast-changing food industry around the globe.

We aim to support our partners fully, from the very start of the buying process, and you will find many equipment brochures, visual animations and case studies available on our website. When you are ready to make contact, a well-resourced network of Ishida companies, distributors and agents, extending across Europe, the Middle East and Africa, can provide advice and organise demonstrations and trials.

Installation is rapid and efficient. For integrated packing lines, we use proven project management techniques and methodologies, tuned to your key objectives and specifications.

A dedicated pan-European service engineering team helps to maximise the performance, functionality and reliability of our installed base. In addition, spares facilities are strategically placed throughout the territory, offering 24-hour delivery in most cases.



helpline • spares • service • training

ISHIDA EUROPE LIMITED
Kettles Wood Drive
Woodgate Business Park
Birmingham
B32 3DB
United Kingdom
Tel: +44 (0)121 607 7700
Fax: +44 (0)121 607 7888
info@ishidaeurope.com

ISHIDA CZECH REPUBLIC
Tel: +420 220 960 422
info@ishidaeurope.cz

ISHIDA POLAND
info@ishidaeurope.com

ISHIDA EAST AFRICA
Tel: +254 (0)20 8124333
info@ishidaeurope.com

ISHIDA ROMANIA
Tel: +40 731 34 79 34
info@ishidaeurope.ro

ISHIDA FRANCE
Tel: +33 (0)1 48 63 83 83
Fax: +33 (0)1 48 63 24 29
info@ishidaeurope.com

ISHIDA SOUTH AFRICA
Tel: +27 (0)11 976 2010
Fax: +27 (0)11 976 2012
info@ishidaeurope.com

ISHIDA GERMANY
Tel: +49 (0)791 945 160
Fax: +49 (0)791 945 1699
info@ishida.de

ISHIDA SWEDEN
Tel: +46 (0)31 871 320
info@ishidaeurope.com

ISHIDA MIDDLE EAST
Tel: +971 (0)4 299 1933
Fax: +971 (0)4 299 1955
ishida@ishida.ae

ISHIDA SWITZERLAND
Tel: +41 (0)41 799 7999
Fax: +41 (0)41 790 3927
info@ishida.ch

ISHIDA NETHERLANDS
Tel: +31 (0)499 39 3675
Fax: +31 (0)499 39 1887
info@ishida.nl